

## CLAIMS

We claim:

- 5
- 10
- Sub A
1. A flat peelable coating composition, comprising:  
an aqueous polyurethane dispersion resin in an effective amount ranging from about 60 percent to about 95 percent by weight of the total weight percent of the composition;  
a solvent in an amount ranging from about 5 percent to 30 percent by weight of the total weight percent of the composition;  
and  
a release agent in an amount of from between 0.1 and 5 percent of the total weight percent of the composition.
  2. The peelable coating of Claim 1 including a dye or pigment in an effective amount of from .01 to 10.0 percent by weight.
  3. The peelable coating of Claim 1 including a thickening agent in an effective amount of from 0.01 to 5.0 percent by weight.
  4. The peelable coating of Claim 1 including an antifoam in an effective amount of from 0.01 to 1.0 percent by weight.
- Sub B

Sub A2  
C-8

5

5. A foamy peelable coating composition, comprising:  
an aqueous polyurethane dispersion resin in an effective amount ranging from about 75.0 percent to about 98.0 percent by weight of the total weight percent of the composition;  
a release agent in an amount of from between 0.1 and 5.0 percent of the total weight percent of the composition;  
and  
a propellant in an amount of from 5.0 to 20.0 percent of the total weight percent of the composition.

6. The foamy coating of Claim 5 is contained in an aerosol can.

10

7. The peelable coating of Claim 5 including a dye or pigment in an effective amount of from 0.01 to 10.0 percent by weight.

8. The peelable coating of Claim 5 including a thickening agent in an effective amount of from 0.01 to 5.0 percent by weight.

Sub A3  
15

The peelable coating of Claim 5 including a surfactant in an effective amount of from 0.01 to 10.0 percent by weight.

10. The peelable coating of Claim 5 including an anti-skinning agent in an effective amount of from 0.01 to 1.0 percent by weight.

11. The peelable coating of Claim 5 including a solvent in an effective amount of from 0.01 to 5.0 percent by weight.

5 12. A peelable coating composition, comprising:

a vinyl toluene acrylate resin in an effective amount ranging from about 10 percent to about 50 percent by weight of the total weight percent of the composition;

a solvent in an amount ranging from about 5 percent to 50 percent by weight of the total weight percent of the composition;

10 and

a release agent in an amount of from between 0.1 and 10 percent of the total weight percent of the composition.

13. The peelable coating of Claim 12 including a dye or pigment in an effective amount of from 0.01 to 10.0 percent by weight.

15 14. The peelable coating of Claim 12 including a plasticizer in an effective amount of from 0.1 to 40.0 percent by weight.

15. The peelable coating of Claim 12 including a filler/thickener in an effective amount of from 0.1 to 10.0 percent by weight.

Added